

SANDCHAMP

SANDCHAMP

**AUTOMOTIVE
REFINISHING
PAINT SYSTEM**



**AUTOMOTIVE
SANDING DISCS
FULL SERIES**

ADDRESS: 1406, tower 20, jianhua jiulongwan (phase 4) huaian district, huaian city, China

WHATSAPP: +86 13575798844

EMAIL: sales@sand-champ.com

WEB: www.sand-champ.com



ABOUT US

SANDCHAMP is a Professional Abrasive Brand belong to Huaian Hohua Industrial Tech Co.Ltd, who offers a full line of abrasives solutions for all applications and materials.Hohua have the whole production equipments and with a strong technology team to offer the innovation,to-meet every customers requirements.With many years effort,Hohua has built the mature production line ,and strict inpection standard to control the quality,responsible for each cus-tomers. Hohua people always believe "Innovation makes possible".We keep the mind to improve the products be better and better.Our mission is to offer the excellent quality products and services at the most competitive pricing to our customers, in order to help them the great return on their markets.

INNOVATION MAKES POSSIBLE





ABRASIVE SANDINGS

568 Multi Holes Purple Premium Ceramic Film Disc.....	1
368 Premium Purple Ceramic Film Disc	2
168 Super Eco Orange Ceramic Paper Disc.....	3
138 Gold Eco Line A/O Paper Disc.....	4
Premium Ceramic Sanding Roll.....	5
Sponge Abrasive Foam Roll.....	5
3D SPOT REPAIR DISC.....	6
3D Pyramid Super Disc.....	6
Sponge Sanding Cube.....	7
Elastic Polishing Film Disc.....	7
Water Resistant Abrasive Paper.....	8
NON WOVEN HAND PAD.....	8
SUPER Blue NET DISC.....	9
Orange Soft Film Disc.....	9

PAINT SYSTEM

TPS 1.0 CUPS.....	10
EPS 2.0 CUPS.....	11
CRS 3.0 CUPS.....	12
PAINT MIXING CUPS.....	13
PAINT Touch-Up Pen	14
PAINT Touch-Up Bottle.....	14

MASKING PRODUCTS

AUTO PREMIUM MASKING FILM.....	15
AUTO PREMIUM MASKING TAPE.....	16
AUTO ECO MASKING TAPE.....	17
BLUE FINE LINE TAPE.....	18
RED DOUBLE SIDED TAPE.....	18

ACCESSORIES

SOFT INTERFACE PAD.....	19
RUBBER ERASE PAD.....	19
PAINT PAPER STRAINER.....	20
PAINT MIXING PADDLES PLASTIC.....	20
AUTO MICROFIBER CLOTH.....	21
WORKSHOP CARBINET.....	22

PURPLE Premium LINE

568 Multi Holes Premium Ceramic Film Disc


Grit range: P60-P800

Features:

With PET polyester film used as the substrate, the product boasts excellent characteristics such as good toughness, high strength, perfect shape, high surface flatness

and high temperature resistance. With cutting edge grit coating technology, the ceramic abrasives gain special crystal structure. The abrasive particles are well-directed and evenly-distributed, ensuring sharp abrasive surface and high cutting force, as well as an extra-long service life of the product. High-temperature resistant resin and high-strength substrate, combined with

special adhesives and anti-blocking surface coating, the product has excellent chip-removing ability, long durability and anti-blocking performance. The product is highly stable, water and oil tolerant, and suitable for both dry and wet polishing.



PURPLE Premium LINE

368 Premium Ceramic Film Disc


Grit range: P60-P800

Features:


With PET polyester film used as the substrate, the product boasts excellent characteristics such as good toughness, high strength, perfect shape, high surface flatness

and high temperature resistance. With cutting edge grit coating technology, the ceramic abrasives gain special crystal structure. The abrasive particles are well-directed and evenly-distributed, ensuring sharp abrasive surface and high cutting force, as well as an extra-long service life of the product. High-temperature resistant resin and high-strength substrate, combined with

special adhesives and anti-blocking surface coating, the product has excellent chip-removing ability, long durability and anti-blocking performance. The product is highly stable, water and oil tolerant, and suitable for both dry and wet polishing.



Orange ECO LINE




168 Super Eco Orange Ceramic Paper Disc

Grit range: P60-P800

Features:

Soft and high-strength latex paper is adopted as the substrate; it is elastic and flexible, and can closely adhere to the lapping surface of the workpiece. With specially treated high-quality ceramic corundum abrasives, the cutting efficiency of the abrasive disk can be improved. The hidden coating have good anti-blocking capacity and shows wonderful grinding performance and long service life. Use to polishing of electrophoresis-treated car body, poly-putty base, primer, intermediate coat, old paint, repair of finishing coat defect, automobile glass repair, wind power industry; electronic products: polishing of cases for iPad, iPhone and other mobile phones, lapping of optical fiber and optical fiber connector, polishing of CD-ROM.

Golden ECO LINE



138 Gold Eco Line A/O Paper Disc

Grit range: P60-P800

Features:

With the soft and elastic substrate adopted, the product is highly flexible and able to produce more smooth surface. It is made of specially treated high-grade alumina abrasives complying with the European standard, with perfect lapping force and endurance performance. The product can be used in both wet and dry environments, and has higher polishing efficiency. With high-temperature resin and high-strength substrate adopted, the special anti-blocking coating can avoid the blockage of abrasive particles and maximize the performance of the abrasive paper.



SK-912 Premium CERAMIC SANDING ROLL

Grit range: P60-P800

Features:

Good toughness, high strength, perfect shape, high surface flatness and high temperature resistance. With cutting edge grit coating technology, the ceramic abrasives gain special crystal structure. The abrasive particles are well-directed and evenly-distributed, ensuring sharp abrasive surface and high cutting force, as well as an extra-long service life of the product.

SK-918 Sponge Abrasive Foam Roll

Grit range: P120-P800

Features:

Ultra-thin imported latex paper with high toughness and soft high-strength sponge are selected as the substrate; high quality semi-brittle corundum as the abrasive; with cutting-edge grit coating technology, the product is sharp enough to show perfect grinding performance; the special anti-blocking coating ensures well chip-removing capability of the product; besides, the product can be used for lapping at both damp and dry environment. For car repair, repair of poly-putty base, primer, intermediate coat, and finishing coat, cabinets and furniture, foreign matter removal and surface polishing for wind power and other industries



SK-916 3D SPOT REPAIR DISC

Grit range: P2500,P3000,P4000

Features:

The precision 3D abrasive tool adopts internationally advanced gravure printing technology and micro-structure repetition technology. High-purity abrasives are applied on the substrate via a special process to form a pyramid structure. The tool is sharp enough and highly flexible. Its surface is sufficiently flat and well-formed. It is hard to deform, and has good anti-slip, anti-wearing performance and wonderful polishing property. It is also highly efficient at cutting. The tool is especially suitable for high precision lapping and polishing. The product is water-resistant and oil-resistant, suitable for polishing workpiece at both wet and dry environment.




SK-708 3D Pyramid Super Disc

Grit range: P1500-P6000

Features:

The precision 3D mold adopts internationally advanced gravure printing technology and micro-structure repetition technology. High-purity abrasives are applied on the substrate. It can be used to polish and clean paint, metal, plastic, liquid crystal panels and other materials, depending on the types of abrasives. Evenly arranged chip-removing grooves ensures an excellent chip-removing ability; multi-layer accumulation of abrasives realizes an extra-long service life of the product. The 3D structure is continuously self-excited and has consistent lapping force and effect. To repair of car paint on curved and flat surfaces; fine polishing and lapping of various coated surfaces, 3c electronic industry, plastic and ceramic, etc.



SK-401 Sponge Sanding Cube

Grit range: P80-P1500

Features:

The elastic resin adhesive with high adhesion is perfectly combined with the performance of the substrate, so that it has excellent elasticity, conformability and good sharpness. Special manufacturing technique and coating formula ensure that the abrasive film will not be broken or deformed during polishing, with excellent conformability and sound surface effect.

It is especially suitable for surface processing of irregular surfaces and 3D molds.

In addition, it is oil-resistant, water-resistant, and can be used in both dry and wet applications.

SK-402 Elastic Polishing Film Disc


Grit range: P120-P3000

Features:

TPU adhesive film with special property is adopted as the substrate.

It has unmatched high strength and elasticity, compared with other substrates.

It is oil- and wear-resisting, water-proof and harmless. It is a brand-new coated abrasive tool. The elastic resin adhesive with high adhesion is perfectly combined with the performance of the substrate, so that it has excellent elasticity, conformability and good sharpness. Special manufacturing technique and coating formula ensure that the abrasive film will not be broken or deformed during polishing, with excellent conformability and sound surface effect. It is especially suitable for surface processing of irregular surfaces and 3D molds. In addition, it is oil-resistant, water-resistant, and can be used in both dry and wet applications.



SK-403 Water Resistant Abrasive Paper

Grit range: P60-P2000

Size: 230mmx280mm / 9" x11"

Features: Flexible backing paper is used especially for imported high-grade water abrasive paper, which ensures the excellent water and oil resistance of the product. Curling does not occur so readily when the product is used. Dry and wet polishing ensures high polishing efficiency. The product has an extra-long service life, thanks to high-quality black carbon silicon abrasives and high-strength all-resin adhesives that bind the abrasives and backing paper more securely.

Applications: repair and polishing of electrophoretic defect of car body, putty, primer, finishing coat, etc.

SK-707 NON WOVEN HAND PAD

Size: 6" x9"

Features:

A non-woven web of nylon, impregnated with abrasive grain bonded with synthetic resins. This produces a cushioned, three-dimensional material which is extremely pliable and long lasting. The uniform dispersion of abrasive throughout the web provides a constant finish during use. Our products are available in popular shapes and a wide variety of grits and densities.





SK-914 SUPER Blue NET DISC

Grit range: P60-P800

Features:

Yarn net with special structure is adopted as the substrate, which makes the abrasive net able to collect dust and remove grinding chips. The abrasive net can effectively discharge the dust produced during the polishing process and minimize the dust in the air, which not only improves air quality and working environment, but also makes the work more efficient.

With the help of the specially-treated abrasives and manufacturing technique, the abrasives are firmly and orderly bound, thus improving its cutting performance. During long time polishing, the dust-collecting abrasive net can keep its original status. The abrasive net has long service life, high efficiency, moderate hardness, and good sharpness and flexibility.



SK-915 Orange Soft Film Disc

Grit range: P600-P4000

Features:

The specially treated abrasives, the adhesive with high binding power, and the polyester film substrate, the product boasts good sharpness and flexibility. Its surface is sufficiently flat and well-formed. It is hard to deform, and has good anti-slip, anti-wearing performance, wonderful polishing property, and high cutting efficiency. It is especially suitable for high precision lapping and polishing. The product is water-resistant and oil-resistant, suitable for wet grinding with cooling fluid and lubricating fluid. For engine crankshaft, camshaft in automobile industry, mirror roller, calender roller, motor steering gear, etc.



Item No. : TPS 1.0

High Quality Classic Paint System Cups

Volume: 200ML 400ML 650ML 850ML

Material: PP/LDPE

Filter Type: 125mic/190mic

Lid/Liner/Stopper/Outer Cup/Collar

Feature:

- *Economical, 75% thinner & cleaning time saved
- *Efficient, Mixing & Painting 2 in 1
- *Convenient, painting at any angle and upside down



Item No. : EPS 2.0

High Efficient Paint System Cups

Volume:100ML 200ML 400ML 650ML 850ML

Material:PP/LDPE

Filter Type:125mic/190mic

Lid/Liner/Stopper/Outer Cup/Collar

Feature:

- 1.New Design wider nozzle provides faster & smootherflow,easier lock in&out,and stronger hold to spray gun.
- 2.Lids are produced by one-piece molding tech sure 100%no-leakage in anywhere and any angle.
- 3.New Design collar,provides more convenient & stable lock.
- 4.Softner & more transparent liner, reducing the remains of paint,and for easier observation
- 5.Stronger and more transparent outer cup,provides paint-ing & mixing 2 in 1,clear scale print for more accurate calibration.



Item No. : CRS 3.0

Convenience Reusable Paint System Cups

Volume: 400ML 650ML 850ML

Material:PP

Filter Type:125mic/190mic

Lid/Stopper/Outer Cup/Collar

Feature:

- 1.Simple switch in the bottom of cup, easy to switch the status.
- 2.Unique design for the lid, it can both connect with SATA & Devilbiss spray-gun,without any adaptors,for more convenience.

Item No. : PMC 1.0
High Quality Paint Mixing Cups
Volume: 400ML 680ML 1400ML 2300ml 5000ml
Material:PP
 Cup & Lid



Item No. : PMC 2.0 (US style)
High Quality Paint Mixing Cups
Volume: 16OZ , 32 OZ
Material:PP



Item No. SK-733
PAINT Touch-Up Bottle
Volume: 30ML,60ML
Material:PP



Item No. SK-735
PAINT Touch-Up Pen
Volume: 20ML
Material:PP





Item No.SK-325
AUTO PREMIUM MASKING FILM

Feature:


- *HDPE white transparent film printed to indicate the paint absorbent side
- *The film is slightly transparent to facilitate cutting away the surface to be painted
- *Sufficiently static to protect the vehicle from overspray
- *Folded in such a way that the film can be unrolled, unfolded and cut by only one person
- *Film has corona treatment for optimum paint adhesion

AVAILABLE SIZES:

4m*150m, 4m*300m, 5m*120m, 6m*100m, or customized.



SK-323-O



SK-323-Y

Item No.SK-323
AUTO PREMIUM MASKING TAPE

Heat resistant::120-140°C / Waterproof / UV 3 days

Color:Orange, Yellow

Feature:

Sensitive natural rubber adhesive. It offers a good and consistent conformability, good temperature and solvent resistance, good adhesion and tensile strength for protecting, masking or other similar use purposes. Suggest to be used for automotive painting masking work, electronic painting masking work, industrial painting and other similar usage.

AVAILABLE SIZES:

18mm X 50M, 24mm X 50M, 36mm X 50M, 48mm X 50M, or customized.



SK-322-C



SK-322-G

Item No.SK-322**AUTO ECO MASKING TAPE**

Heat resistant:80-100°C / Waterproof

Color:Green,Cream

Feature:

Natural rubber adhesive. It offers a good and consistent conformability, good temperature and solvent resistance, good adhesion and tensile strength for protecting, masking or other similar use purposes. Suggest to be used for automotive painting masking work, electronic painting masking work, industrial painting and other similar usage.

AVAILABLE SIZES:

18mm X 50M,24mm X 50M,36mm X 50M,48mm X 50M,or customized.

**Item No.SK-320****BLUE FINE LINE TAPE****Feature:**

- *PVC tape for specific masking tasks such as spraying of multiple colours, artwork or custom painting
- * more flexible than conventional masking tapes
- *The excellent adhesive quality makes it possible to mask plastic and rubber
- *Good stretch

AVAILABLE SIZES:

3mm x 50m,6mm x 50m,or customized.


Item No.SK-321**RED DOUBLE SIDED TAPE****Feature:**

- *Acrylic adhesive base tape for attaching protective side moldings on vehicles
- *Strong initial contact; offers superior adhesion at any given temperature
- *In order to get a 100% adhesion, make sure the surface is properly degreased before application
- *The advantage of this unique acrylic tape is that the initial strength after 2 minutes is 80% of the total, whereas traditional double sided foam tape requires 12 to 24 hours to reach the same strength

AVAILABLE SIZES:

6mm,12mm,or customized.





Item No.SK-711
RUBBER ERASE PAD

Feature:
*Easily removes etc.
For professional use invehicle preparation,
invehicle workshops and inpaint workshops


Item No.SK-811
SOFT INTERFACE PAD

Feature:
Max RPM:14400
10mm soft foam layer
Placed between pad and abrasive disc
AVAILABLE SIZES: 75mm / 50mm / 125mm / 150mm



Item No.SK-734
PAINT PAPER STRAINER

Feature:
125MIC / 190MIC
Excellent resistance to solvent-based paints
Packaging: 4x 250 pieces
Perfect nylon filter mesh
Precise filtering



Item No.SK-723
PAINT MIXING PADDLES PLASTIC

Feature:
20cm / 30cm
BLACK / BLUE
The S-shape of the MPP has the advantage
that it mixes
paint faster and preciser than conventional
methods



**Item No.SK-501
AUTO MICROFIBER CLOTH A**

Feature:

- * Material:80% polyester,20% polyamide
- * 320g/m2
- * Size:40x40cm
- * Color: customized

**Item No.SK-502
AUTO MICROFIBER CLOTH B**

Feature:

- * Material:80% polyester,20% polyamide
- * 380g/m2
- * Size:40x40cm
- * Color: customized



**Item No.SK-503
AUTO MICROFIBER CLOTH C**

Feature:

- * Material:80% polyester,20% polyamide
- * 400g/m2
- * Size:40x40cm
- * Color: customized

**Item No.SK1032
WORKSHOP CARBINET**

Feature:

- *Own design,multi-functional
- *High Quality
- *Workshop tool stock
- *915 W x 610 D x 1040 H

